"PITTSBURGH PERFECT" STEEL FENCE

STRONGEST IN THE WORLD.



PITTSBURGH STEEL CO.
PITTSBURGH, PA.

SOLD BY

WELDED BY ELECTRICITY

"PITTSBURGH PERFECT" ELECTRICALLY WELDED FENCES

are enjoying phenomenal success, and are conceded to be far superior to any other fencing on the market. Thousands of pleased fence users will testify that the "Pittsburgh Perfect" Electrically Welded Fence

Will **stand** ordinary as well as **hard usage.**
Will not sag in Summer's heat nor break in the cold of Winter.
Is made of the **best material** for fencing purposes.
Has **stays** that **will not slip,** nor can they be moved out of place.
Will conform to the most uneven ground and can be erected over hills and through valleys as well as on level ground.
Has **no slack wires** to spoil the appearance as well as the efficiency of the fence.
Does not require an expert to erect.
Is **low in price.**

During the past year we have added to our styles of Fences the **"Pittsburgh Perfect" Poultry and Garden Fence.** It will pay you largely to investigate this fence as it has solved the question of fencing against poultry, horses, hogs and cattle.

THE "PITTSBURGH PERFECT" FENCE for Field, Farm, Ranch and Poultry. Made by us exclusively.

The only "ELECTRICALLY WELDED" Steel Wire Fence.

PITTSBURGH STEEL COMPANY,
PITTSBURGH, PA.

"PITTSBURGH PERFECT" FENCES


Are made out of a specially tested, heavily galvanized steel wire. The wire is made from steel of our own formula, and years of experience in fence making guarantees to you that it is the best possible material for fencing purposes. All of our regular farm fencing has for the top and bottom bars, **No. 9 Galvanized Steel Wire;** intermediate bars, **No. 11 Galvanized Steel Wire;** stays or uprights, **No. 12 Galvanized Steel Wire.**

More than ample provision for **expansion and contraction** is made in the tension curves and these curves in connection with our **electrically welded** stay wires insure an indestructible fence not obtainable elsewhere. **We are the sole manufacturers of the "Pittsburgh Perfect" Fence.**

The stays are **electrically welded** to the strands and therefore the stay wires are **not weakened nor the galvanizing broken by twisting around the lateral wires,** and the **joint is indestructible.** There are **no exposed ends to invite rust** and **no wraps to hold moisture,** and on account of the **electrically welded** stay, the tensile strength of the fence is increased to a very great extent. On account of the construction of our fences we alone have accomplished what has long been the aim of all fence manufacturers, namely, to get a **solid steel fence** that is at the same time **adjustable to all levels and deflections,** and we therefore guarantee that it will conform to uneven and rolling ground.


No Wraps to get loose or hold moisture and rust.

"PITTSBURGH PERFECT" FENCES




Inasmuch as the "Pittsburgh Perfect" Fence is constructed on entirely different lines from other fences, from looking at the cuts scarcely anyone would understand how we fasten our stay wires to the strand wires.

We endeavor by means of the cuts on this page to give you an idea as to how this is done. Please note that where the wires are electrically welded **both stay and strand become one piece of steel** and you get **double strength** at the joints.



The Weld.



Sectional view—Amalgamation Perfect. No Seam.

No other fence has this advantage and this feature substantiates our claim of having **the very strongest fence** on the market, as you can readily see that no fence made out of similar size wire can possibly be as strong as ours.

Nothing but Large, Strong, well Galvanized Steel Wires used.

"PITTSBURGH PERFECT" FENCES

POINTS. In all other fences the stays are either wrapped around the strand or clamped on with washers; therefore the stay is rubbing the strand all of the time and **peeling off the galvanizing,** causing that strand to rust. Nothing of this in the PITTSBURGH PERFECT as there are no **wraps or clamps.**

It is the Portable Fence, as it can be taken down and moved from one place to the other without the slightest injury to the material, because **the stays stay where we put them.**

See that **Joint, Stay and Strand**—one piece. Electrically welded, the only true amalgamation of metals, and an indestructible joint, **the very best.**


Any fence with cable wires in it for strands has no provision for expansion or contraction. Diamond Mesh Fences will not conform to uneven ground.

Most of the large railroad companies, when asking for prices on fence, state that they do not want fencing that has twisted cable wires for strands. Why? Because the railroad officials know that cable wires hold moisture, thereby causing rust; that there can be no provision for expansion and contraction in cable wires, and consequently a fence made with cable wires for strands soon rusts out, breaks and is unsightly. Rather hard this, but truth, every word of it.

No small wires in the "Pittsburgh Perfect."

"PITTSBURGH PERFECT" FENCES

STANDARD STYLE—Number 5812.




58 inches high, 12 bars, 12 or 6 inch stays.

The **Standard Styles** of **"Pittsburgh Perfect" Fences** with the upright or **stay wires twelve inches apart** are illustrated on pages 4-5-6-7-8 and 9. We also make all of the fences shown on pages above mentioned with stay wires **six inches apart**

Stronger at the Joints than any other.

"PITTSBURGH PERFECT" FENCES

STANDARD STYLE—Number 4911.




49 inches high, 11 bars, 12 or 6 inch stays.

Six heights of fence are made in our **Standard Style**, namely, fifty-eight inches, which has twelve bars; forty-nine inches, which has eleven bars; forty-one inches, which has ten bars; thirty-four inches, which has nine bars; twenty-eight inches, which has eight bars, and twenty-three inches, which has seven bars.

All Strand Wires same length. Stretches up perfectly.

"PITTSBURGH PERFECT" FENCES

STANDARD STYLE—Number 4110.




41 inches high, 10 bars, 12 or 6 inch stays.

For **large enclosures** our experience leads us to guarantee that our twelve inch stay fences will give entire satisfaction, and you can without any hesitancy use the twelve inch stay fencing for division, highway, farm or ranch fences.

We advise you that in fencing a barnyard, making a hog-pen or any **small enclosures** to use the six inch stay fencing to get the best results.

"PITTSBURGH PERFECT" FENCES

STANDARD STYLE—Number 349.




34 inches high, 9 bars, 12 or 6 inch stays.

Guaranteed all right in every particular.

Don't overlook pages 20 and 21.

"PITTSBURGH PERFECT" FENCES

STANDARD STYLE—Number 288.




28 inches high, 8 bars, 12 or 6 inch stays.

No Moisture can accumulate.

"PITTSBURGH PERFECT" FENCES

STANDARD STYLE—Number 237.




23 inches high, 7 bars, 12 or 6 inch stays.

Better Galvanized Wire than any other.

"PITTSBURGH PERFECT" FENCES

SPECIAL STYLE—Number 5511.




55 inches high, 11 bars, 12 or 6 inch stays.

The Special Styles of "Pittsburgh Perfect" Fences are shown on pages 10-11-12-13-14 and 15. You will notice that these Special Styles are almost identical with our Standard Styles except a slight difference in the spacing between the lateral wires. This makes a somewhat lighter fence, which we can and do sell at a lower price per rod than the Standard Styles.

"PITTSBURGH PERFECT" FENCES

SPECIAL STYLE—Number 4710.




47 inches high, 10 bars, 12 or 6 inch stays. **Barb Wire on top is a good thing for any Fence.**

Six heights of fence are made in our **Special Styles**, namely, fifty-five inches, which has eleven bars; forty-seven inches, which has ten bars; thirty-nine inches, which has nine bars; thirty-two inches, which has eight bars twenty-six inches, which has seven bars; twenty inches, which has six bars.

"PITTSBURGH PERFECT" FENCES

SPECIAL STYLE—Number 399.




39 inches high, 9 bars, 12 or 6 inch stays.

See our Poultry and Garden Fences on pages 22-23-24.

"PITTSBURGH PERFECT" FENCES

SPECIAL STYLE—Number 328.




32 inches high, 8 bars, 12 or 6 inch stays.

Stays stay in place. Will last a lifetime.

"PITTSBURGH PERFECT" FENCES

SPECIAL STYLE—Number 267.



26 inches high, 7 bars, 12 or 6 inch stays.

"Pittsburgh Perfect" Special Hog Fence, No. 267, 6 inch stays (26 inches high, 7 bars). Use up your old barbed wire as shown above.

It is the Perfect Hog Fence. Stays cannot slip.

"PITTSBURGH PERFECT" FENCES


The Best, Because

1. Stays **Electrically Welded** to strands, forming a perfect union and an amalgamation with the strands not found in any other fence.
2. No wraps to get loose, or hold moisture and cause rust.
3. No projections to injure stock or tear wool from sheep.
4. Stronger at the joints than any other fence, welded together by electricity.
5. Guaranteed that the wire is not injured at the joints.
6. Guaranteed adjustable to uneven ground.
7. Guaranteed that stays will not separate from strands.
8. Guaranteed all right in every particular.
9. Made by the most modern process and on the latest improved machinery.
10. Most of the weak points in other fences are on account of the way the stays are fastened.

Our stays are amalgamated with the strands by means of electricity and the strength of the fence increased a hundredfold over the strength of a fence where the stays are wrapped or clamped on the strands.

"PITTSBURGH PERFECT" FENCES

SPECIAL STYLE—Number 206.




20 inches high, 6 bars, 12 or 6 inch stays.

A Hint. Every diamond mesh fence on the market has more or less fine wire in its construction and **nearly every one** two strand twisted cable wires for strand wires. Fine wire soon rusts through, diamond meshes will not conform to uneven ground and twisted cable wires hold moisture which causes rust. Also, cables cannot have any provision for expansion and contraction, as one wire binds the other.

Moral—Stick to fencing which has none of the above defects.

"PITTSBURGH PERFECT" FENCES

EXTRA SPECIAL STYLE—Number 499.




49 inches high, 9 bars, 12 or 6 inch stays.

Up hill or down dale. Easily erected.

"PITTSBURGH PERFECT" FENCES

EXTRA SPECIAL STYLE—Number 458.




45 inches high, 8 bars, 12 or 6 inch stays.

The Perfection of Poultry Fences shown on pages 22-23-24.

Get prices—the low cost will surprise you.

"PITTSBURGH PERFECT" FENCES

EXTRA SPECIAL STYLE—Number 356.



35 inches high, 6 bars, 12 or 6 inch stays.

This fence is sometimes set up 10 or 12 inches from the ground; making a first-class cattle fence.

TO THE MAN WHO USES FENCING

In order to make it convenient for the users of fencing to obtain the "Pittsburgh Perfect" Fence, we aim to have a first-class dealer in every town handle it and carry it in stock. Ask your dealer for it, and if he does not keep it write us direct and your wants will receive prompt and careful attention.



—THE—

"PITTSBURGH PERFECT"

POULTRY AND GARDEN FENCE.



From all parts of the country our friends have written us asking for a special poultry fence, one that could also be used for putting up around gardens and strong enough, if necessary, to keep out horses, hogs and cattle. Cost is a consideration, but after a careful study as to the requirements of this class of trade, we designed and built the "Pittsburgh Perfect" Poultry and Garden Fence. It is not a netting, understand, but a good substantial FENCE, and made out of galvanized steel wires, the smallest of which are heavier than the wire used by most fence builders for a regular farm fence. [Continued on page 21.]

The Best, Strongest, Neatest and Most Durable.
It is in a class of its own.

"Pittsburgh Perfect" Poultry and Garden Fencing


CONTINUED

Then there is that "Perfect" galvanizing and the "Perfect" electrically welded joint and "Perfect" workmanship, and, above all, a certainty of "Perfect" satisfaction if you use it. We know it is close enough at the bottom to keep in the smallest chicks, and you need no top or bottom boards. Notice the heavy wire on the top and bottom; that explains it. Notice the spacing between the horizontal wires; **nothing can get through the lower strands** and as the spaces get wider, **they are too far from the ground for chickens to get through.** Surely it is a "Perfect" Fence, the best on the market, and the price extremely reasonable.

For further information regarding Poultry and Garden Fence, see page 25.

"PITTSBURGH PERFECT" FENCES

POULTRY AND GARDEN—Number 5816.




58 inches high, 16 bars, 6 inch stays only.

"The Best is the Cheapest." This is the Best and Cheapest. Electrically Welded.

"PITTSBURGH PERFECT" FENCES

POULTRY AND GARDEN—Number 5215.




52 inches high, 15 bars, 6 inch stays only.

No Experiment—Tested, tried and found superior to any other.

"PITTSBURGH PERFECT" FENCES

POULTRY AND GARDEN—Number 4614.



46 inches high, 14 bars, 6 inch stays only.

The only Electrically Welded Poultry and Garden Fence.

Only three heights made.

The "Pittsburgh Perfect" Poultry and Garden Fence


Is **made in Three Heights**—46 inches, 52 inches, and 58 inches. Has Stay or Upright wires 6 inches apart. Is **put up in 10 and 20 Rod Rolls.** Is **made in Two Weights** namely:

Regular Style—Top and Bottom wire No. 10, all the other wires No. 13.
Heavy Style—Top and Bottom wire No. 9, **all** other wires No. 12.
We cannot furnish any Poultry and Garden Fence with 12 inch Stays.

Do not use a top board on the "Pittsburgh Perfect" Poultry and Garden Fence. It only gives the chickens a chance to see how high they have to fly to get over, and if you use no board they will not fly over. We put a heavy top and bottom wire on this fence so that there is no necessity for boards.

When ordering Poultry and Garden Fence BE SURE to state whether you want REGULAR or HEAVY style.

"PITTSBURGH PERFECT" STEEL GATES



"T" Steel Frames. Strong, durable and effective. Shipped complete with latches and hinges for wooden posts. All gates covered with six inch stay "Pittsburgh Perfect" fencing. No other heights or widths than enumerated in this catalogue made by us, nor do we make gates with ornamental tops.

WALK GATES

3 ft. wide, 34, 42, 50 and 58 inches high....$3 25 each.
4 ft. wide, 34, 42, 50 and 58 inches high.... 3 50 each.
5 ft. wide, 34, 42, 50 and 58 inches high.... 5 00 each.

Set posts four inches farther apart than width of gate.


When gates are wanted for Poultry and Garden Fence, note that we cover only two heights with this fence, namely: 50 inch and 58 inch gates.

"PITTSBURGH PERFECT" STEEL GATES

10 feet wide, 34, 42, 50 and 58 inches high. $7.00 each.


12 feet wide, 34, 42, 50 and 58 inches high. $7.50 each.

Set posts 6 in. further apart than width of gate.



"Pittsburgh Perfect" Single Drive Gate. Weight about 110 pounds.


"PITTSBURGH PERFECT" STEEL GATES



"Pittsburgh Perfect" Double Drive Gate. Weight about 125 pounds.

10 feet wide, 34, 42, 50 and 58 inches high, - - $ 9 25 each.
12 feet wide, 34, 42, 50 and 58 inches high, - - - 10 00 each.

"PITTSBURGH PERFECT" STEEL GATES



"Pittsburgh Perfect" Steel YANKEE Gate.

48 inches high—14 feet long for 14 foot opening, - - $6.00 each.
48 inches high—16 feet long for 16 foot opening, - - - 7.00 each.

These gates made to fit **opening** above mentioned. So set your posts as above indicated.

"PITTSBURGH PERFECT" SPECIALTIES

"Pittsburgh Perfect" Fence Tool.




The "Pittsburgh Perfect" Fence Tool here illustrated is without doubt the most useful fence tool on the market.

It combines hammer, wire cutter, staple and nail puller and splicing tongs.

Sold only in half dozen and one dozen lots.

"Pittsburgh Perfect" Single Wire Stretcher.






remove the large stretcher. Wire Stretcher ever offered.

We recommend the "Pittsburgh Perfect" Single Wire Stretcher for finishing up the ends of our "Pittsburgh Perfect" Fencing. Between the "Pittsburgh Perfect" Stretcher clamps and the end post there are a few feet of fence that must be pulled up, so before removing the large wire fence stretcher, pull every strand tight and staple to end post, then The "Pittsburgh Perfect" Single Wire Stretcher is also the Best Barb Try it.

"PITTSBURGH PERFECT" IMPROVED WOOD CLAMP STRETCHER




Showing Stretcher in use.

This Stretcher PUSHES the Fence toward the End Post.

"PITTSBURGH PERFECT" IMPROVED WOOD CLAMP STRETCHER









We illustrate hereon, in detail, parts of the "Pittsburgh Perfect" Wood Clamp Stretcher, which is the only good stretcher on the market for stretching made up wire fencing. With this stretcher you can distribute the "pull" evenly all over the fence by simply moving the lever as per instructions.


DIRECTIONS FOR USING

"PITTSBURGH PERFECT" IMPROVED WOOD CLAMP STRETCHER


This Stretcher pushes fencing toward end post. First fasten clamp to fencing, using a little judgment as to about how far away from the post you should fasten the clamp in order that when the fence is stretched the wooden clamp will be very near the end post. Now fasten chains to end post as shown on page 31. Pass other ends of chains through holes at top and bottom of clamp and fasten with stretcher pins. Now remove top pin and engage chain in slot of lever and press lever down, thus forcing the wooden clamp toward the end post. While the lever is down put pin in link of chain and remove lever to the lower chain and repeat until tension is right and fence is straight.

See cuts on pages 31 and 32.


"PITTSBURGH PERFECT" FENCES




Splicer.



Ready to Splice.





Spliced.

Make your splices with the "PITTSBURGH PERFECT" SPLICER here illustrated. Trim the fence as indicated above. **Bring the stay wires of the two pieces of fence together** to insure uniform splicing, and splice as indicated.

Hog tight. Stays cannot slip.

"PITTSBURGH PERFECT" FENCES

STARTING TO BUILD.

Permanent brace panels with posts set as on page 39 should be put in about every sixty rods where the fence runs in a straight line.

After your posts are set, unroll the fence with the narrow spacings toward the posts. Now staple to end post and be careful that your stays are straight up and down, and that the fence is at least three quarters way around the post. Fasten the stretcher to the other end of the roll and get it on straight and be sure that your stretcher clamps are screwed as tight as possible. This will prevent the fence from slipping through the stretchers when the tension is put on, and saves lots of trouble. Now take up about two or three links with the stretcher and go along the fence line and put a staple on a few line posts to hold the fence in place while stretching.

When stretching, it is well to see that the fence does not bind on the posts. If it does, it can easily be remedied by catching the wire and pulling it like a bow string to keep it from cutting into the posts. In stretching over hilly places lift the fence where you want it, drive staple over wire next to top wire so that fence will pull through. you can do the same thing where there are hollows, simply pull the fence where you want it by standing on bottom wire, and put staple over next to bottom wire. When fence is tight, staple well to the brace and line posts, then, before removing the **"Pittsburgh Perfect"** Stretcher, tighten the wires between the stretcher clamp and end post.

BUILDING THE

"PITTSBURGH PERFECT" FENCE

As a rule everyone appreciates the necessity of building a house or a barn well; no one would think of throwing a lot of stones in a heap and calling it a foundation, and then on top of this building their house out of the finest material that money can buy. What we want to impress on you is the fact that **we furnish you with the very best fencing material that money can buy** and consequently want you to do it justice by building it **right;** then you will have **a fence** that will last a life time, will be "a thing of beauty" and consequently "a joy forever." It is just as easy and a great deal more satisfactory to **build right in the first place** than it is to **not build right.**

End and Corner Posts.

Particular attention **must** be given to **Setting and Bracing** the **End** and **Corner** posts. If we had the space to spare in this little book we would tell you this over and over again. The life, the very existence of any fence depends largely on the End and Corner posts. On them is **all the strain,** so get **good posts** for your **Ends** and **Corners** and set them not less than three and one-half to four and one-half feet into the ground and anchor and brace as shown in cut on page 39.

BUILDING THE
"PITTSBURGH PERFECT" FENCE—Continued.


Intermediate or Line Posts should be the **cheapest good posts obtainable.** They really act as stays, but the real strain is on the End and Corner posts.

The Intermediate or Line posts should be set about a rod (16½ feet) apart for ordinary purposes. Some farmers set them twenty, twenty-five and up to thirty-five or forty feet apart and get good results; but for **best results** we suggest that these posts be a rod apart.

BRACING.


In erecting **The Pittsburgh Perfect Fence** so that the strain caused by the curves which take care of the expansion and contraction will not in time pull the End posts out of the ground, it is necessary that you brace the End posts well. This is done by setting a post about three and one-half to four and one-half feet in the ground and about ten or twelve feet distant from the **End or Corner post;** then brace with a piece of 4 x 4 timber as shown on page 39. Mortice the brace into the posts and spike well. Next take a piece of No. 7 or No. 8 Galvanized Wire, bring it around both the End post and Brace post and tie or splice the ends together. Now take a good stout stick about three feet long and twist this bracing wire as shown in cut until there is a good strain on both End and Brace post as well as on the wooden brace. Now staple the brace wire to posts as shown in cut. This prevents the wire from slipping and the Corner or End post from turning while you are stretching your fence.

"PITTSBURGH PERFECT" FENCES



Anchor Posts in Hollows as shown above.

"PITTSBURGH PERFECT" FENCES



Set, Anchor and Brace End and **Corner** Posts as above indicated.

PRICE LIST TO AGENTS.

Taking Effect August 1st, 1904.

"PITTSBURGH PERFECT" FENCING, GATES AND TOOLS.

	Style No.	Cut Shown on Page	Height in Inches.	Dist'nce betwe'n Stays, Inches.	Weight per Rod.	Price per Rod.
STANDARD STYLE 12-inch Stays.	581½	4	58	12	10.8	92 cts.
	4911	5	49	12	9.8	82 cts.
	4110	6	41	12	8.8	74 cts.
	349	7	34	12	7.8	66 cts.
	288	8	28	12	7.	58 cts.
	237	9	23	12	6.2	50 cts.
STANDARD STYLE 6-inch Stays.	5812	4	58	6	13.1	116 cts.
	4911	5	49	6	11.75	104 cts.
	4110	6	41	6	10.5	90 cts.
	349	7	34	6	9.25	82 cts.
	288	8	28	6	8.1	72 cts.
	237	9	23	6	7.1	62 cts.
SPECIAL STYLE 12-inch Stays.	5511	10	55	12	10.	84 cts.
	4710	11	47	12	9.	74 cts.
	399	12	39	12	8.	66 cts.
	328	13	32	12	7.	58 cts.
	267	14	26	12	6.5	50 cts.
	206	16	20	12	5.	38 cts.
SPECIAL STYLE 6-inch Stays.	5511	10	55	6	12.25	110 cts.
	4710	11	47	6	11.	98 cts.
	399	12	39	6	9.6	84 cts.
	328	13	32	6	8.5	74 cts.
	267	14	26	6	7.75	62 cts.
	206	16	20	6	6.2	54 cts.
EXTRA SPECIAL GENERAL FARM FENCE 12-inch Stays.	499	17	49	12	8.4	70 cts.
	458	18	45	12	7.4	62 cts.
	356	19	35	12	6.	50 cts.
EXTRA SPECIAL GENERAL FARM FENCE 6-inch Stays.	499	17	49	6	10.4	92 cts.
	458	18	45	6	9.5	78 cts.
	356	19	35	6	7.4	66 cts.
POULTRY and GARDEN Regular Style See Page 25.	5816	22	58	6	10.5	96 cts.
	5215	23	52	6	9.4	89 cts.
	4614	24	46	6	9.	82 cts.
POULTRY and GARDEN Heavy Style See Page 25.	5816	22	58	6	13.7	126 cts.
	5215	23	52	6	12.7	117 cts.
	4614	24	46	6	11.7	108 cts.

DISCOUNT..... F. O. B., PITTSBURGH, PA.

NOTE—In the style numbers the first two figures show the height of the fence in inches, the figure or figures after the first two figures show the number of bars in the fence, thus number 5812 means the fence is 58 inches high and has 12 bars or lateral wires. See cut on page 4.

Farm Fence put up in 20 and 40 Rod Rolls.

Poultry and Garden Fence put up in 10 and 20 Rod Rolls.

Splicers, per dozen, **net** (no discount).....$1.00

"Pittsburgh Perfect" Fence tools, per dozen, **net** (no discount)..... 9.00

"Pittsburgh Perfect" Fence tools, per ½ dozen, **net** (no discount)..... 4.50

We do not sell less than ½ dozen lots of "Pittsburgh Perfect" Fence Tools, but sell splicers and **single wire** stretchers in any quantities desired.

"Pittsburgh Perfect" **SINGLE WIRE** Stretcher, $10.00 per dozen

"Pittsburgh Perfect" **WOOD CLAMP** Stretcher, 4.00 each

WALK GATES	3 ft. wide, 34, 42, 50 and 58 in. high	$3.25 each
	4 ft. wide, 34, 42, 50 and 58 in. high	3.50 each
	5 ft. wide, 34, 42, 50 and 58 in. high	5.00 each
SINGLE DRIVE GATES	10 ft. wide, 34, 42, 50 and 58 in. high	$7.00 each
	12 ft. wide, 34, 42, 50 and 58 in. high	7.50 each
DOUBLE DRIVE GATES	10 ft. wide, 34, 42, 50 and 58 in. high	$ 9.25 each
	12 ft. wide, 34, 42, 50 and 58 in. high	10.00 each
"YANKEE" GATES	48 in. high, to fit 14 foot opening	$6.00 each
	48 in. high, to fit 16 foot opening	7.00 each

DISCOUNT.....F. O. B., PITTSBURGH, PA.

ıe style numbers the first two figures show the height inches, the figure or figures after the first two figures ber of bars in the fence, thus number 5812 means the hes high and has 12 bars or lateral wires. See cut

m Fence put up in 20 and 40 Rod Rolls.

l Garden Fence put up in 10 and 20 Rod Rolls.

dozen, **net** (no discount).....$1.00

Perfect" Fence tools, per dozen, discount)..... 9.00

Perfect" Fence tools, per ½ dozen, discount)..... 4.50

ıt sell less than ½ dozen lots of "Pitts- ıct" Fence Tools, but sell splicers and stretchers in any quantities desired.

Perfect" **SINGLE WIRE** Stretcher, $10.00 per dozen

Perfect" **WOOD CLAMP** Stretcher, 4.00 each

3 ft. wide, 34, 42, 50 and 58 in. high.....$3.25 each
4 ft. wide, 34, 42, 50 and 58 in. high..... 3.50 each
5 ft. wide, 34, 42, 50 and 58 in. high..... 5.00 each

10 ft. wide, 34, 42, 50 and 58 in. high.....$7.00 each
12 ft. wide, 34, 42, 50 and 58 in. high..... 7.50 each

10 ft. wide, 34, 42, 50 and 58 in. high.....$ 9.25 each
12 ft. wide, 34, 42, 50 and 58 in. high..... 10.00 each

48 in. high, to fit 14 foot opening.....$6.00 each
48 in. high, to fit 16 foot opening..... 7.00 each

r.....F. O. B., PITTSBURGH, PA.

Digitized by ASSOCIATION FOR PRESERVATION TECHNOLOGY, www.apti.org for the BUILDING TECHNOLOGY HERITAGE LIBRARY
https://archive.org/details/buildingtechnologyheritagelibrary
From the collection of Gerron S. Hite, West Texas Collection, Angelo State University, San Angelo, TX



SEE THE

"PITTSBURGH PERFECT"

POULTRY AND GARDEN FENCE

ON PAGES, 22-23-24.

STRENGTH,
DURABILITY,
ECONOMY.